

VOCATIONAL EDUCATION PROGRAM

Cosmetology

I. PROGRAM REQUIREMENTS

Refer to the project-specific Schedule of Spaces for student stations, square footage, and for any requirements that may differ from the prototype requirements listed below:

- 1 Laboratory
- 1 Related Classroom
- 1 Dispensary
- 1 Facial Room
- 1 Locker Room
- 1 Toilet Room
- 1 Reception Area
- 1 Teacher Planning/Material Storage Room

II. PROGRAM FURNITURE AND EQUIPMENT

Refer to the Furniture and Equipment List for Owner-provided furniture and equipment.

III. SPECIAL CONSIDERATIONS

- Heating/Ventilation/Air Conditioning

Provide exhaust fan/ ventilation system in the Laboratory and Dispensary to assist in the removal of fumes.

Provide dryer vent in the Material Storage room

- Windows

Exterior windows should be provided with a sill height above 5'-0".

Provide an observation window, 36" wide x 48" high, from the Laboratory into the Related Classroom.

Provide an observation window, 36" wide x 48" high, from the Teacher Planning/Material Storage Room into the Related Classroom.

- Doors

Provide an exterior door into the Reception Area, for use as a public entrance.

Provide a Dutch-type door with shelf between the Dispensary and the Laboratory.

Provide a half-glass door from the Laboratory into the Teacher Planning/Material Storage Room.

Provide a half-glass door from the Laboratory into the Facial Room.

Provide a half-glass door from the Laboratory into the Reception Area.

VOCATIONAL EDUCATION PROGRAM

Cosmetology

III. SPECIAL CONSIDERATIONS (continued)

- Plumbing

- Laboratory

- Provide eight (8) black porcelain shampoo bowls with hot and cold water. Provide a 2" water supply line to the shampoo bowl area to insure adequate pressure at each fixture.

- Provide a water heater, sized to supply a minimum of 100 gallons per hour at 140°.

- Toilet Room

- Provide one (1) toilet and one (1) wall-mounted lavatory with cold water.

- Dispensary

- Provide one (1) double sink with hot and cold water and drain board.

- Facial Room

- Provide one (1) sink with hot and cold water.

- Material Storage Room

- Provide hot and cold water supply for clothes washing machine.

- Communications

- Provide a clock, speaker and intercom handset in the Laboratory, Related Classroom, and Teacher Planning/Material Storage Room.

- Provide a data outlet with adjacent power outlet in the Laboratory, Related Classroom and Teacher Planning/Material Storage Room, in accordance with District Design Guidelines.

- Provide a voice/data outlet in the Reception Area of the Laboratory, in accordance with District Design Guidelines.

- Provide a TV bracket with DVD bracket, CCTV jack, and adjacent power outlet in the Related Classroom, in accordance with District Design Guidelines.

- Electrical

- Laboratory

- Provide a Quad GFI outlet at each Owner-provided workstation ("dresserette"), number and location as directed.

- Related Classroom

- Provide two (2) duplex outlets above the countertop.

- Reception Area

- Provide a duplex outlet at the reception counter.

- Dispensary and Facial Room (each)

- Provide three (3) duplex GFI outlets above the countertop.

- Material Storage Room

- Provide GFI Duplex receptacle located with the washing machine water service.

VOCATIONAL EDUCATION PROGRAM

Cosmetology

III. SPECIAL CONSIDERATIONS (continued)

- Electric (continued)

Provide 240v Dryer outlet adjacent to washing machine water service.

- Contractor-Provided Equipment and Casework

Laboratory

Provide a base cabinet, 12" deep x length as required. The shampoo bowls are to be mounted 36" apart on the face of this cabinet. In the space between the bowls provide storage units, each consisting of a full-width adjustable shelf and hinged double doors. Countertop to be 36" above the floor.

Related Classroom

Provide nine (9) linear feet of base cabinets, countertop to be 36" above the floor.

Provide approximately twenty-four (24) 10" x 10" open cubbyholes within the base cabinet. (Backpack storage)

Dispensary

Provide nine (9) linear feet of lockable base cabinets, to include the sink and one (1) adjacent bank of lockable graduated drawers, countertop to be 36" above the floor.

Locker Room

Provide twenty four (24) lockers, 12" wide x 15" deep x 30" high, supported on a 4" high concrete pedestal with a vinyl base.

Reception Area

Provide one (1) reception counter, to consist of a 36" high x 24" deep x 72" long base cabinet. This cabinet is also to include a 30" wide knee space, one (1) adjacent bank of graduated drawers and a lighted display case with glass shelves.

Facial Room

Provide six (6) linear feet of lockable base cabinets, to include the sink and one (1) adjacent bank of lockable graduated drawers, countertop to be 36" above the floor.

- Contractor-Provided Instructional Aids

Related Classroom

Provide a Smartboard in accordance with District Design Guidelines.

Provide a 4' wide x 4' high tack-board, bottom to be mounted 36" above the floor.

Provide a wall-mounted video projector in accordance with District Design Guidelines.

Locker Room

Provide an 18" wide x 60" high framed mirror, bottom to be mounted 18" above the floor.

VOCATIONAL EDUCATION PROGRAM

Cosmetology

III. SPECIAL CONSIDERATIONS (continued)

- Other Considerations

This Laboratory is to be located on the ground level, easily accessible to the public.

Locate the Reception Area near the Teacher Planning/Material Storage Room.

Locate the Toilet Room near the Reception Area.